

Sol Solution Cithium Battery

NOMINAL CAPACITY 105Ah

System Capacity Battery Group Solution

Cycle Life

IP Protection Level

Battery System Weight Calendar Life

They are designed to replace the lead-acid battery, which are available for drop-in replacement in the Club Car and EZ-GO etc. vehicles nicely.

MODEL B-LFP36-100GC

CASE METAL/FR **BATTERY** Lithium-iron (LFP)

3.994 KWh

40KG

2P12S A boxful

Battery system IP54

COLOR BLUE

VOLTAGE 38.4V (Display voltage: 39.6V)

	L		
5543	<u>_</u>		
	Telleron and		
		8	

CYCLE LIFE INTELLIGENCE	3500 @80%DOD Multiple Microprocessors, State of Charg with Aging Compensation, Current Sens	
ELECTRICAL SPECIF	ICATIONS	
Battery Types	Lithium-iron (LFP)	TEMPERATUR
Rated Capacity	105Ah	
Nominal Voltage	38.4V Display voltage: 39.6V	Operating Tempera A Column Temp
Operating Voltage Range	30V~43.2V Battery cell: 2.5V~3.65V	

> 3500 times 25°C, 05C charge, 1C discharge, DOD 70% (soc 0~100%)


TEMPERATURE SPECIFICATIONS				
Operating Temperature Range	Charge	0°C~55℃		
A Column Temperature	Discharge	-20°C +55°C		


DIMENSIONAL SPECIFICATIONS


PHYSICAL SPECIFICATIONS		
Battery Pack Factory SOC	50%	
Battery SOC Operating Range	0-100%	
Insulation Requirements	≥20MΩ/1000VDC 25°C±5°C, RH50%	
The Power Consumption Of The BMS	≤3W	
SOC Theory Estimation Accuracy	±5%	
Unit Voltage Acquisition Accuracy	±5mV Capture every single monomer	
Temperature Acquisition Accuracy	±2℃ 4 road	
Current Acquisition Accuracy	≤ ± 0.5% FSR	
Equalizing Current	≤ 100mA Passive equalization	
Protect Function	Over-current protection, over-discard protection, over-discharge protection, high and low temperature protection, abnormal alarm function.	


12 years 25°C, SOC 100%, EOL 80%

DISCHARGE SPECIFICATIONS	
Maximum Continuous Charging Current	50A 10°C~45°C, 5% < SOC < 80%
Maximum Continuous Discharging Current	150A 5°C~50°C, SOC > 20%
Maximum Instantaneous Charging Current (10S)	100A 10°C~45°C, 5% < SOC < 80%
Maximum Instantaneous Discharging Current (105)	250A 5°C~50°C, SOC > 20%
Standard Charging Current Is Recommended	< 30A
Self-discharge Rate/Month (25°C, SOC100 %)	< 3%









FIVE YEAR COST COMPARISON BETWEEN BSLBATT & LEAD ACID BATTERIES

	YEAI	R1 YEAI	R 2 YEA	R 3 YE	AR 4 YI	AR 5
A State of the second s	\$ Cost Of Battery	st Installation	Ø Maintenance	🌣 Maintenance	Ø Maintenance	Q Battery Change
	\$\$\$\$	\$\$				
					Total	\$ \$ \$ \$ \$ \$
10100 A000	\$\$	\$	\$	\$	\$	\$\$
					Total	\$ \$ \$ \$ \$ \$ \$ \$

14001

Do not mix with lead-acid batteries when recycling to 70% initial capacity

www.lithium-battery-factory.com

PICC

VUTATION CE CE IEC

GOLF



STRUCTURAL DIFFERENCES IN THE BSLBATT GOLF CART SERIE.

86-100

Each Cell Is Encased in Aluminum

Steel Battery Bracket Merid Provides vibration and shock resistance

External Heat Sink Keeps

Bolted Connections To BMS √ Provides stable mechanical and electrical connections


Positive And Negative BusBar ✓ Creates an exceptional current collector

IP54 Rated Casing √ Ensures water, dust and splash-resistance


BMS Bolted To Heat SinkSection and prevents accidental faults due to vibration and it extends battery life

TECHNICAL BSLBATT LITHIUM CURVE

ENVIRONMENT TEMPERATURE:25°C



DISCHARGE CURRENT:0.5C/1C/3C/5



BSLBATT lithium battery has a longer constant stable curve during discharge.

